Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1. (Currently Amended) A method for preventing or reducing an ischemia-reperfusion injury, comprising administering to a subject in need thereof an effective amount of a free radical scavenger intra-arterially or intravenously prior to, concurrently with, or following reperfusion, wherein the free radical scavenger is administered in a single high dose in an amount sufficient for the serum concentration of the scavenger to be at least 1.5 mM.

2. (Canceled)

- 3. (Original) The method according to claim 1 wherein the free radical scavenger is a thiol-containing compound.
- 4. (Currently Amended) The method according to claim 1 wherein the free radical scavenger is selected from the group of consisting of N-acetylcysteine, sodium thiosulfate, glutathione ethyl ester, glutathione, D-methionine, cysteamine, aminopropylmethylisothiourea, and Ethyol.
- 5. (Original) The method according to claim 1 wherein the free radical scavenger is N-acetylcysteine.
- 6. (Original) The method according to claim 1 wherein the ischemia-reperfusion injury is an infarction, and wherein the volume of the infarction is reduced.

- 7. (Original) The method according to claim 6 wherein the infarction is in the brain.
- 8. (Original) The method according to claim 1 wherein the ischemia-reperfusion injury is a cerebral injury.
- 9. (Original) The method according to claim 1 wherein the ischemia-reperfusion injury is cerebral hemorrhage.
- 10. (Original) The method according to claim 1 wherein the ischemia-reperfusion injury is associated with a cardiopulmonary bypass procedure.
- 11. (Original) The method according to claim 10 wherein the cardiopulmonary bypass procedure is performed using a cardiopulmonary bypass circuit.
- 12. (Original) The method according to claim 10 wherein the cardiopulmonary bypass procedure is coronary artery bypass grafting.
- 13. (Original) The method according to claim 10 wherein the ischemia-reperfusion injury is cognitive dysfunction.
- 14. (Original) The method according to claim 1 wherein the free radical scavenger is administered intravenously.
- 15. (Original) The method according to claim 1 wherein the free radical scavenger is administered intra-arterially.
- 16. (Original) The method according to claim 15 wherein the free radical scavenger is administered via carotid artery.

- 17. (Original) The method according to claim 1 wherein the free radical scavenger is administered prior to reperfusion.
- 18. (Original) The method according to claim 8 wherein the free radical scavenger is delivered to the central nervous system.
- 19. (Original) The method according to claim 10 wherein the free radical scavenger is administered at least 15 minutes prior to the bypass procedure.

20. (Canceled)

- 21. (Original) The method according to claim 10 wherein the free radical scavenger is administered at least 30 minutes prior to the bypass procedure.
- 22. (Original) The method according to claim 10 wherein the free radical scavenger is administered at least 60 minutes prior to the bypass procedure.
- 23. (Original) The method according to claim 10 wherein the free radical scavenger is administered at least 90 minutes prior to the bypass procedure.
- 24. (Currently Amended) The method according to claim 1 wherein the free radical scavenger is administered in an amount sufficient for the serum concentration of the scavenger to be from at least about 3 mM.
- 25. (Currently Amended) The method according to claim 1 wherein the free radical scavenger is administered in an amount sufficient for the serum concentration of the scavenger to be from at least about 10 mM.